## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	<u>10/038,722B</u>
Source:	, IFW16
Date Processed by STIC:	4/21/05

## ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 04/21/2005 PATENT APPLICATION: US/10/038,722B TIME: 11:42:03

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

```
4 <110> APPLICANT: LEY, Arthur C.
        GUTERMAN, Sonia K.
 5
        MARKLAND, William
 6
        KENT, Rachel B.
 7
         ROBERTS, Bruce L.
9
        LADNER, Robert C.
11 <120> TITLE OF INVENTION: ITI-D1 KUNITZ DOMAIN MUTANTS AS HNE INHIBITORS
13 <130> FILE REFERENCE: D0617.7005US01
15 <140> CURRENT APPLICATION NUMBER: 10/038,722B
16 <141> CURRENT FILING DATE: 2002-01-08
18 <150> PRIOR APPLICATION NUMBER: US 08/849,406
19 <151> PRIOR FILING DATE: 1999-07-21
21 <150> PRIOR APPLICATION NUMBER: PCT/US95/16349
22 <151> PRIOR FILING DATE: 1995-12-15
24 <150> PRIOR APPLICATION NUMBER: US 08/358,160
25 <151> PRIOR FILING DATE: 1994-12-16
27 <150> PRIOR APPLICATION NUMBER: US 08/133,031
28 <151> PRIOR FILING DATE: 1992-02-28
30 <160> NUMBER OF SEQ ID NOS: 143
32 <170> SOFTWARE: PatentIn version 3.1
35 <210> SEO ID NO: 1
36 <211> LENGTH: 276
37 <212> TYPE: DNA
38 <213 > ORGANISM: Artificial Sequence
40 <220> FEATURE:
42 <223> OTHER INFORMATION: IIIsp::bpti::matureIII (initial fragment)
44 <400> SEQUENCE: 1
45 gtgaaaaaat tattattege aatteettta gttgtteett tetattetgg egecegteeg
                                                                          60
47 gatttctgtc tcgagccacc atacactggg ccctgcaaag cgcgcatcat ccgctatttc
                                                                         120
49 tacaatgcta aagcaggcct gtgccagacc tttgtatacg gtggttgccg tgctaagcgt
                                                                         180
51 aacaacttta aatcggccga agattgcatg cgtacctgcg gtggcgccgc tgaaactgtt
                                                                         240
53 gaaagttgtt tagcaaaacc ccatacagaa aattca
                                                                         276
56 <210> SEQ ID NO: 2
57 <211> LENGTH: 92
58 <212> TYPE: PRT
59 <213> ORGANISM: Artificial Sequence
61 <220> FEATURE:
62 <223> OTHER INFORMATION: IIIsp::bpti::matureIII (initial fragment)
64 <400> SEQUENCE: 2
66 Met Lys Lys Leu Leu Phe Ala Ile Pro Leu Val Val Pro Phe Tyr Ser
                                        10
69 Gly Ala Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys
70
               20
                                   25
```

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

72 Lys Ala Arg Ile Ile Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys 40 75 Gln Thr Phe Val Tyr Gly Gly Cys Arg Ala Lys Arg Asn Asn Phe Lys 78 Ser Ala Glu Asp Cys Met Arg Thr Cys Gly Gly Ala Ala Glu Thr Val 79 65 81 Glu Ser Cys Leu Ala Lys Pro His Thr Glu Asn Ser 82 85 <210> SEO ID NO: 3 86 <211> LENGTH: 285 87 <212> TYPE: DNA 88 <213> ORGANISM: Artificial Sequence 90 <220> FEATURE: 92 <223> OTHER INFORMATION: IIIsp::itiD1::mature III fusion gene 94 <400> SEQUENCE: 3 95 gtgaaaaaat tattattcgc aattccttta gttgttcctt tctattctgg cgccaaagaa 60 97 gactettgee agetgggeta eteggeeggt eeetgeatgg gaatgaceag eaggtattte 120 99 tataatggta catccatggc ctgtgagact ttccagtacg gcggctgcat gggcaacggt 180 240 101 aacaacttcg tcacagaaaa ggagtgtctg cagacctgcc gaactgtggg cgccgctgaa 103 actqttqaaa qttqtttaqc aaaaccccat acaqaaaatt cattt 285 106 <210> SEQ ID NO: 4 107 <211> LENGTH: 95 108 <212> TYPE: PRT 109 <213 > ORGANISM: Artificial Sequence 111 <220> FEATURE: 113 <223> OTHER INFORMATION: IIIsp::itiD1::mature III fusion gene 115 <400> SEQUENCE: 4 117 Met Lys Lys Leu Leu Phe Ala Ile Pro Leu Val Val Pro Phe Tyr Ser 118 1 10 120 Gly Ala Lys Glu Asp Ser Cys Gln Leu Gly Tyr Ser Ala Gly Pro Cys 25 123 Met Gly Met Thr Ser Arg Tyr Phe Tyr Asn Gly Thr Ser Met Ala Cys 126 Glu Thr Phe Gln Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Val 129 Thr Glu Lys Glu Cys Leu Gln Thr Cys Arg Thr Val Gly Ala Ala Glu 132 Thr Val Glu Ser Cys Leu Ala Lys Pro His Thr Glu Asn Ser Phe 90 136 <210> SEQ ID NO: 5 137 <211> LENGTH: 58 138 <212> TYPE: PRT 139 <213> ORGANISM: Artificial Sequence 141 <220> FEATURE: 143 <223> OTHER INFORMATION: Consensus Kunitz domain 145 <400> SEQUENCE: 5 147 Arg Pro Asp Phe Cys Leu Leu Pro Ala Glu Thr Gly Pro Cys Arg Ala 150 Met Ile Pro Arg Phe Tyr Tyr Asn Ala Lys Ser Gly Lys Cys Glu Pro

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

151 20 153 Phe Ile Tyr Gly Gly Cys Gly Gly Asn Ala Asn Asn Phe Lys Thr Glu 156 Glu Glu Cys Arg Arg Thr Cys Gly Gly Ala 157 50 160 <210> SEQ ID NO: 6 161 <211> LENGTH: 58 162 <212> TYPE: PRT 163 <213> ORGANISM: Bos Taurus 165 <400> SEQUENCE: 6 167 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Lys Ala 170 Arg Ile Ile Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 20 25 174 Phe Val Tyr Gly Gly Cys Arg Ala Lys Arg Asn Asn Phe Lys Ser Ala 177 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 181 <210> SEQ ID NO: 7 182 <211> LENGTH: 58 183 <212> TYPE: PRT 184 <213> ORGANISM: Artificial Sequence W--> 185 <220> FEATURE: 187 <223> OTHER INFORMATION: Epi-HNE-1 189 <400> SEQUENCE: 7 191 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala 194 Phe Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 20 25 197 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 35 40 200 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 204 <210> SEQ ID NO: 8 205 <211> LENGTH: 62 206 <212> TYPE: PRT 207 <213> ORGANISM: Artificial Sequence 209 <220> FEATURE: 211 <223> OTHER INFORMATION: Epi-HNE-2 213 <400> SEQUENCE: 8 215 Glu Ala Glu Ala Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly 218 Pro Cys Ile Ala Phe Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly 20 25 221 Leu Cys Gln Thr Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn 40 224 Phe Lys Ser Ala Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 55 228 <210> SEQ ID NO: 9

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

229 <211> LENGTH: 58 230 <212> TYPE: PRT 231 <213> ORGANISM: Artificial Sequence 233 <220> FEATURE: 235 <223> OTHER INFORMATION: EpiNE7 237 <400> SEOUENCE: 9 239 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 5 241 Met Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 244 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 246 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 247 50 250 <210> SEQ ID NO: 10 251 <211> LENGTH: 58 252 <212> TYPE: PRT 253 <213> ORGANISM: Artificial Sequence 255 <220> FEATURE: 257 <223> OTHER INFORMATION: EpiNE3 259 <400> SEQUENCE: 10 261 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Gly 264 Phe Phe Ser Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 25 267 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 270 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 271 50 274 <210> SEQ ID NO: 11 275 <211> LENGTH: 58 276 <212> TYPE: PRT 277 <213> ORGANISM: Artificial Sequence 279 <220> FEATURE: 281 <223 > OTHER INFORMATION: EpiNE6 283 <400> SEQUENCE: 11 285 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Gly 288 Phe Phe Gln Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 25 291 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 294 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 298 <210> SEQ ID NO: 12 299 <211> LENGTH: 58 300 <212> TYPE: PRT 301 <213> ORGANISM: Artificial Sequence 303 <220> FEATURE:

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

305 <223> OTHER INFORMATION: EpiNE4 307 <400> SEQUENCE: 12 309 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 312 Ile Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 313 315 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 318 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 322 <210> SEQ ID NO: 13 323 <211> LENGTH: 58 324 <212> TYPE: PRT 325 <213> ORGANISM: Artificial Sequence 327 <220> FEATURE: 329 <223> OTHER INFORMATION: EpiNE8 331 <400> SEQUENCE: 13 333 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 334 1 336 Phe Phe Lys Arg Ser Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 337 339 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 342 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 346 <210> SEQ ID NO: 14 347 <211> LENGTH: 58 348 <212> TYPE: PRT 349 <213> ORGANISM: Artificial Sequence 351 <220> FEATURE: 353 <223> OTHER INFORMATION: EpiNE5 355 <400> SEQUENCE: 14 357 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala 358 1 10 5 360 Phe Phe Gln Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 362 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 365 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 50 368 <210> SEQ ID NO: 15 369 <211> LENGTH: 58 370 <212> TYPE: PRT 371 <213> ORGANISM: Artificial Sequence 373 <220> FEATURE: 375 <223> OTHER INFORMATION: EpiNE2 377 <400> SEQUENCE: 15 379 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala 380 1 5

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:82; N Pos. 37,38,40,41,42,47,52,56,58,64,65,66,71,72,100,101,103,104
Seq#:82; N Pos. 109,110,124,125,128,133,134
Seq#:83; Xaa Pos. 13,14,16,18,19,20,22,24,34,35,37,42,43,45
Seq#:84; N Pos. 34,35,37,38,39,43,44,49,53,55,56,61,62,63,68,69,97,98,100
Seq#:84; N Pos. 101,106,107,121,122,125,130,131
Seq#:85; Xaa Pos. 12,13,15,17,18,19,21,23,33,34,36,41,42,44
Seq#:86; Xaa Pos. 2,3,4,5,6,7,9,11,12,13,14,15,16,17,18,19,20,21,22,23,24
Seq#:86; Xaa Pos. 25,27,28,30,31,32,35,36,37,38,39,40,41,42,43,44,45,46,48
Seq#:86; Xaa Pos. 49,50
Seq#:103; Xaa Pos. 1
Seq#:104; Xaa Pos. 1
Seq#:106; Xaa Pos. 1
Seq#:109; Xaa Pos. 1
Seq#:123; Xaa Pos. 1
Seq#:127; N Pos. 4,5,6,7,8
Seq#:128; N Pos. 4,5,6,7,8,9,10,11,12
```

## VERIFICATION SUMMARY

PATENT APPLICATION: US/10/038,722B TIME: 11:42:04

DATE: 04/21/2005

Input Set : A:\D0617.70005US01 seqs.txt
Output Set: N:\CRF4\04212005\J038722B.raw

L:185 M:283 W: Missing Blank Line separator, <220> field identifier L:2331 M:283 W: Missing Blank Line separator, <400> field identifier L:2807 M:283 W: Missing Blank Line separator, <220> field identifier L:2923 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0 M:341 Repeated in SeqNo=82 L:2991 M:283 W: Missing Blank Line separator, <220> field identifier L:3013 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83 after pos.:0 M:341 Repeated in SeqNo=83 L:3064 M:283 W: Missing Blank Line separator, <220> field identifier L:3165 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0 M:341 Repeated in SeqNo=84 L:3257 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85 after pos.:0 M:341 Repeated in SeqNo=85 L:3356 M:283 W: Missing Blank Line separator, <400> field identifier L:3358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0 M:341 Repeated in SeqNo=86 L:3743 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:103 after pos.:0 L:3768 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:104 after pos.:0 L:3816 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0 L:3880 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:109 after pos.:0L:4177 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:123 after pos.:0 L:4280 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:127 after pos.:0 L:4298 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:128 after pos.:0